

**JOURNAL OF**

**MACROMOLECULAR  
SCIENCE – Chemistry**

**Physics**

**Reviews in**

**Macromolecular Chemistry  
and Physics**

## Journal of Macromolecular Science

*Part A: Chemistry*

*Part B: Physics*

*Part C: Reviews in Macromolecular Chemistry and Physics*

The three parts of the **Journal of Macromolecular Science** cover the entire field of polymer chemistry and physics for organic and physical chemists, polymer physicists, biochemists, engineers, and other researchers by presenting a cross-section of outstanding contributions from laboratories around the world as promptly as possible.

*Part A: Chemistry* offers articles from international academic and industrial sources designed for organic, physical, and polymer chemists; biochemists; and engineers working in such areas as polymer synthesis; anionic, cationic, and free radical addition polymerization; reactions in polymers; molecular weight studies; temperature dependent properties; rheology; effects of radiation of all forms; and polymer degradation.

*Part B: Physics* is devoted to the publication of fundamental contributions in the physics of macromolecular solids and liquids, and covers all areas of polymer solid state physics; transition mechanisms and structure property relationships; the physics of polymer solutions and melt; glassy and rubbery amorphous solids; and the physics of individual polymer molecules and natural polymers. Notes describe both new instruments and techniques appropriate to polymer physics and new data. *Part B* also features letters and brief preliminary reports of new developments.

*Part C: Reviews in Macromolecular Chemistry and Physics* answers the long standing need for a single source, in-depth presentation of major topics in high polymer chemistry on a regular basis.

The **Journal of Macromolecular Science**, unquestionably, provides recent research information to investigators concerned with the systematic, practical application of macromolecular systems, as well as those whose interests are limited to promoting fundamental knowledge of this important multi-faceted science.

## THE DIFFUSION OF FERRICYANIDE THROUGH PERFLUORINATED IONOMER (NAFION) MEMBRANES

DAVID DeWULF and ALLEN J. BARD\*

Department of Chemistry  
The University of Texas  
Austin, Texas 78712

### ABSTRACT

The diffusion coefficient for ferricyanide anion in perfluorinated ionomer films (Nafion) have been measured. They are low enough to permit the use of ferricyanides to detect the presence of defects in such films.

### INTRODUCTION

While the diffusion coefficients ( $D$ ) and partition coefficients ( $K$ ) of cations are usually determined in films or thin layers of the cation-exchange polymer Nafion (PFI) [1-4], those of anions are also of interest. For example, highly charged anions, such as  $\text{Fe}(\text{CN})_6^{3-}$  and  $\text{Fe}(\text{CN})_6^{4-}$ , are used as probes for determining the quality of cast PFI films on electrode surfaces, i.e., the freedom of such films from pinholes and other defects [5]. This is accomplished by measuring the current for the electrochemical oxidation of  $\text{Fe}(\text{CN})_6^{4-}$  or reduction of  $\text{Fe}(\text{CN})_6^{3-}$ , e.g., at a rotating-disk electrode, with the assumption that the flux of these ions through the film approaches zero, so that the only current observed is that attributable to gaps or holes in the film. There is also interest in using PFI as a matrix for carrying out syntheses or depositions. For example, CdS can be precipitated within a PFI film by placing the film between two solutions, one containing  $\text{Cd}^{2+}$  and the other a sulfide species [6, 7]. Similarly, Prussian blue can be produced in PFI films by codiffusion of  $\text{Fe}^{2+}$ .

and  $\text{Fe}(\text{CN})_6^{3-}$  [8]. The location of the precipitate layer within the film in these cases, as well as the interesting Liesegang ring structures that are sometimes observed [9], depend upon the rate of diffusion of the anionic species in the film. We thus thought it of interest to determine  $D$  for  $\text{Fe}(\text{CN})_6^{3-}$  within PFI.

### EXPERIMENTAL

The diffusion coefficient of  $\text{Fe}(\text{CN})_6^{3-}$  in Nafion 115 membranes was measured by a previously described method [10]. Nafion membranes (1100 equivalent weight, 0.13 mm thick; E. I. du Pont de Nemours, Inc., Wilmington, Delaware) were cleaned by boiling in concentrated  $\text{HNO}_3$  for 1 h and then in milli-Q reagent grade water (Continental Water Systems, El Paso, Texas) for 1 h. The membrane was clamped between two half-cells, one containing 0.10 M  $\text{Fe}(\text{CN})_6^{3-}$  ( $\text{K}_3\text{Fe}(\text{CN})_6$ , Aldrich Chemical Co., Milwaukee, Wisconsin) and the other, an isotonic solution of 0.3 M KCN (Fisher Scientific, Fair Lawn, New Jersey). The molar absorptivity of  $\text{Fe}(\text{CN})_6^{3-}$ , determined spectrophotometrically at 306 nm with duplicate measurements of four standard solutions ranging in concentration from 0.05 to 0.50 mM, was 1270 ( $\pm 60$ ). The concentration of  $\text{Fe}(\text{CN})_6^{3-}$  in the KCN compartment was monitored until it reached 0.11 mM.

### RESULTS AND DISCUSSION

Under these conditions, the following boundary conditions hold:

$$C_{\text{Fe}(\text{CN})_6^{3-}} = 0 \text{ at } 0 < x < d; \text{ for } t > 0, \quad (1)$$

$$= 0 \text{ at } x = 0; \text{ for } t > 0, \quad (2)$$

$$= C_0 \text{ at } x = d, \text{ for } t > 0, \quad (3)$$

and the solution for steady-state flux under linear diffusion becomes

$$J = DKC_0/d, \quad (4)$$

where  $K$  is the partition coefficient of  $\text{Fe}(\text{CN})_6^{3-}$  between the aqueous solution and the PFI membrane,  $d$  is the membrane thickness (0.13 mm),  $D$  is




FIG. 1. Data used in calculation of flux of  $\text{Fe}(\text{CN})_6^{3-}$  through PFI membrane. The configuration was  $0.1 \text{ M K}_3\text{Fe}(\text{CN})_6/\text{PFI}/0.3 \text{ M KCN}$ .

the diffusion coefficient of  $\text{Fe}(\text{CN})_6^{3-}$  in the membrane, and  $C_0$  is the concentration of  $\text{Fe}(\text{CN})_6^{3-}$  in solution ( $x > d$ ),  $0.1 \text{ M}$ . Figure 1 shows a plot of moles  $\text{Fe}(\text{CN})_6^{3-}$  transported per unit area of membrane vs time. The linear portion represents steady-state conditions, and the slope of the line is the steady-state flux,  $J$ , which was calculated by a linear regression as  $2.8 \times 10^{-12} \text{ mol} \cdot \text{cm}^{-2} \cdot \text{s}^{-1}$ . The partition coefficient,  $K$ , for  $\text{Fe}(\text{CN})_6^{3-}$  between PFI and aqueous solution was also measured spectrophotometrically, after soaking a membrane in  $0.10 \text{ M Fe}(\text{CN})_6^{3-}$  for 48 h. If the molar absorptivity of  $\text{Fe}(\text{CN})_6^{3-}$  in the PFI is taken as the same value as that in water,  $1270$  at  $306 \text{ nm}$ , the equilibrium concentration is  $1.9 \text{ mM}$ , and the partition coefficient,

$$K = [\text{Fe}(\text{CN})_6^{3-}]_{\text{PFI}} / [\text{Fe}(\text{CN})_6^{3-}]_{\text{aq}} \quad (5)$$

is  $0.019$ . The diffusion coefficient ( $D$ ) calculated from these data and Eq. (4) is  $1.9 \times 10^{-8} \text{ cm}^2/\text{s}$ .

TABLE 1. Diffusion Coefficients of Anionic Species through PFI Membranes

Membrane type	Ion	$D$ , cm <sup>2</sup> /s	Reference
125	Cl <sup>-</sup>	$9 \times 10^{-7}$	3
125		$1.6 \times 10^{-6}$ <sup>a</sup>	2
125/127	I <sup>-</sup>	$9 \times 10^{-8}$	4
115	PtCl <sub>6</sub> <sup>2-</sup>	$1 \times 10^{-8}$	10
125	SO <sub>4</sub> <sup>2-</sup>	$4.4 \times 10^{-7}$ <sup>a</sup>	2
115	Fe(CN) <sub>6</sub> <sup>3-</sup>	$2 \times 10^{-8}$	This study

<sup>a</sup>80°C (3 M NaCl + 0.1 M Na<sub>2</sub>SO<sub>4</sub>).

The diffusion coefficient reported for anionic species in PFI membranes are collected in Table 1. As noted in previous studies of diffusion [1, 11], the diffusion coefficients of most anions in PFI are significantly smaller than those of cations (e.g., Na<sup>+</sup>,  $D = 10^{-6}$  cm<sup>2</sup>/s). This has been ascribed to differences in the diffusion paths of these species in the clustered structure of these ionomers. The small value of  $D$  for Fe(CN)<sub>6</sub><sup>3-</sup>, coupled with the small value of  $K$ , suggests that low concentrations of Fe(CN)<sub>6</sub><sup>3-</sup> can be used to test the integrity of PFI films. On the other hand,  $D$  and  $K$  are sufficiently large that Fe(CN)<sub>6</sub><sup>3-</sup>-based structures can be formed in PFI membranes by soaking them in more highly concentrated solutions.

#### ACKNOWLEDGMENT

The support of this research by the National Science Foundation (CHE8402135) is gratefully acknowledged.

#### REFERENCES

- [1] H. L. Yeager, in *Structure and Properties of Ionomers* (M. Pineri and A. Eisenberg, eds.), Reidel, Boston, Massachusetts, 1986, p. 377.
- [2] A. Eisenberg and H. L. Yeager, *Perfluorinated Ionomer Membranes* (ACS Symposium Series 180), American Chemical Society, Washington, D.C., 1982, p. 41.

- [3] A. Lindheimer, J. Molenat, and C. Gavach, *J. Electroanal. Chem.*, **216**, 71 (1987).
- [4] M. Lopez, B. Kipling, and H. L. Yeager, *Anal. Chem.*, **49**, 629 (1977).
- [5] M. Krishnan, X. Zhang, and A. J. Bard, *J. Am. Chem. Soc.*, **106**, 7371 (1984).
- [6] M. Krishnan, J. R. White, M. A. Fox, and A. J. Bard, *Ibid.*, **105**, 7002 (1983).
- [7] K. Honda, A. Kuwano, K. Chiba, A. Ishikawa, and H. Miyama, *Chem. Lett.*, p. 195 (1988).
- [8] K. Honda, H. Hayashi, and K. Chiba, *Ibid.*, p. 191 (1988).
- [9] M. F. Mueller, *Science*, **225**, 1021 (1984).
- [10] D. W. DeWulf and A. J. Bard, *J. Electrochem. Soc.*, **135**, 1977 (1988).
- [11] H. L. Yeager and A. Steck, *Ibid.*, **128**, 1880 (1981).

Received December 5, 1988

**JOURNAL OF  
MACROMOLECULAR SCIENCE — Chemistry**

**Editor**

H. KARL FRENSDORFF, *P. O. Box 4549, Wilmington, Delaware 19807*

**JOURNAL OF  
MACROMOLECULAR SCIENCE — Physics**

**Executive Editor:**

**PHILLIP H. GEIL**  
*Polymer Group  
University of Illinois  
1304 W. Green Street  
Urbana, Illinois 61801*

**Associate Editors**

**R. Bonart**      **M. Takayanagi**  
*University of Regensburg*      *Kyushu University*

**I. M. Ward**  
*University of Leeds*

**JOURNAL OF  
MACROMOLECULAR SCIENCE  
Reviews in Macromolecular Chemistry  
and Physics**

**Editors**

**GEORGE B. BUTLER**  
*Department of Chemistry  
University of Florida  
Gainesville, Florida 32601*

**KENNETH F. O'DRISCOLL**  
*Department of Chemical  
Engineering  
University of Waterloo  
Waterloo, Ontario, Canada*

**GARTH L. WILKES**  
*Polymer Materials & Interface Laboratory  
Virginia Polytechnic Institute and State  
University  
Blacksburg, Virginia 24061*



# ORDER FORM

## Journal of Macromolecular Science

**Part A: Chemistry**

Volume 25, 12 numbers

**Part B: Physics**

Volume 27, 4 numbers

**Part C: Reviews in Macromolecular Chemistry and  
Physics**

Volume 28, 4 numbers

### RATES (check one or more)

	Part A	Part B	Part C
Institutional	\$1100.00	\$320.00	\$320.00
Individual	\$ 555.00	\$160.00	\$160.00

*Please add \$3.00 per issue (number) for surface postage outside the U.S. For airmail to Europe, add \$3.75 per issue; for airmail to Asia, add \$4.75 per issue.*

*All subscriptions must be prepaid. Payment must be made in U.S. currency.*

I enclose payment by:

Check     Money Order    in the amount of \$ \_\_\_\_\_

Visa     MasterCard No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

MasterCard 4-digit interbank no. \_\_\_\_\_

Signature \_\_\_\_\_

*(must accompany credit card payment)*

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Please send me a complimentary copy of this journal: \_\_\_\_\_.

*Please recommend library acquisition of this and all materials needed for teaching and research.*

MAIL TO: **MARCEL DEKKER, INC.**  
**PROMOTION DEPARTMENT**  
**270 MADISON AVENUE**  
**NEW YORK, NEW YORK 10016**